

Rutledge JR LAB OFF-SITE LEARNING PACKET DAY 1
Using your MED book chapter 26 to answer the following questions.

Multiple Choice

Identify the choice that best completes the statement or answers the question.

- ___ 1. Which of the following is the type of abortion in which all products of conception and placenta are expelled?
- a. Spontaneous
 - b. Complete
 - c. Threatened
 - d. Incomplete
 - e. Missed
- ___ 2. Which of the following best describes women who are diagnosed more often with eclampsia?
- a. Receive adequate prenatal care
 - b. Have low blood pressure
 - c. Have decreased blood glucose
 - d. Are under 18 years with first pregnancy
 - e. Have excessive vomiting
- ___ 3. Which of the following is the term used for the condition of excessive vomiting during pregnancy?
- a. Hyperemesis gravidarum
 - b. Intestinal gravidarum
 - c. Endometriosis
 - d. Menometrorrhagia
 - e. Prenatal emesis
- ___ 4. Which of the following is the muscular tube extending from the cervix to exterior of the body?
- a. Clitoris
 - b. Vulva
 - c. Labia
 - d. Vagina
 - e. Mons
- ___ 5. Which of the following is NOT true regarding an endometrial biopsy?
- a. The patient might experience slight cramping.
 - b. It is a slow, painful procedure.
 - c. Usually performed on women experiencing post-menopausal bleeding.
 - d. A long, strawlike tube is used.
- ___ 6. When should a breast self-examination be performed?
- a. During monthly menses
 - b. Just before menses
 - c. Seven days after menses
 - d. Five days after menses
- ___ 7. What is the time frame recommended by the American Cancer Society for women aged 40 to 49, and without symptoms of breast disease, to have a routine mammogram?
- a. 1 to 2 years
 - b. 6 months to 1 year
 - c. 2 to 3 months
 - d. 2 to 3 years
 - e. 5 years
- ___ 8. Which of the following positions is NOT used during a complete gynecological examination?
- a. Sitting
 - b. Supine
 - c. Dorsal recumbent
 - d. Prone
 - e. Lithotomy
- ___ 9. Which of the following can indicate fetal distress?
- a. Prostaglandins
 - b. Amniotomy
 - c. Meconium
 - d. Oxytocin

- ___ 10. The Naegele's rule, which is a method used to calculate the expected date of birth, uses what formula?
- Add 10 days to first day of LMP, subtract 3 months, and add 1 year
 - Add 7 days to the first day of LMP, subtract 2 months, and add 1 year
 - Add 7 days to the first day of LMP, subtract 3 months, and add 1 year
 - Add 7 days to the first day of LMP, add 3 months, and add 1 year
- ___ 11. Which of the following best describes the importance of using a ViraPap test?
- Ensures the accuracy of the test result
 - Duplicates the technologist process
 - Screens for HPV with a higher cervical cancer risk
 - Diagnoses cervical cancer
 - Diagnoses trichomonas
- ___ 12. At what age does menopause usually occur?
- 35–40 years
 - 35–50 years
 - 38–50 years
 - 35–58 years
 - 50–58 years
- ___ 13. Which of the following terms is used to describe where Graafian follicles are located and become enlarged and filled with fluid?
- Endometriosis
 - Uterine cysts
 - Pelvic inflammatory disease
 - Condylomata
 - Ovarian cysts
- ___ 14. Which of the following is NOT a procedure or test used to rule out cervical cancer?
- Pap smear
 - Endometrial biopsy
 - Cone biopsy
 - Colposcopy
- ___ 15. Which of the following is NOT generally classified as a sexually transmitted disease?
- Chlamydia
 - Syphilis
 - Gonorrhea
 - Herpes simplex I and II
 - Trachoma
- ___ 16. Which of the following is the medical term for warts on the external and internal genitalia?
- Trichomonas
 - Chlamydia
 - Syphilis
 - Condylomata
 - Trachoma
- ___ 17. Mrs. Love is seven months pregnant with her first child. She calls the office to say she is worried because she is having "funny cramping sensations in her stomach." You get her to clarify that these are painless, irregular, and not normal to date. Which of the following might be suspected with her symptoms?
- Beginning of labor
 - Uterine dilation
 - Parity
 - Braxton-Hicks contractions
- ___ 18. Which of the following data is NOT necessary for a Pap smear?
- Last normal menstrual period
 - Hormonal therapies
 - Children's ages
 - Symptoms of disease
- ___ 19. Factors associated with placenta previa include which of the following?
- Advancing maternal age
 - Maternal smoking
 - Maternal exercising
 - a and b only
- ___ 20. The Bethesda System is used to report what type of results?

- a. HPV
- b. Pathology

- c. Pap smear
- d. DNA

Matching

Match the descriptions with the appropriate test.

- a. produces an image of the fetus
- b. takes a sample of tissue
- c. used to rule out neural tube defects
- d. takes a fluid sample for congenital anomalies
- e. aspirates blood from fetal umbilical cord vessels

- _____ 1. alpha fetal fetoprotein
- _____ 2. chorionic villus sampling
- _____ 3. amniocentesis
- _____ 4. ultrasound
- _____ 5. cordocentes

